

Materialprüfungsamt Nordrhein-Westfalen

Prüfen • Überwachen • Zertifizieren

Certificate of conformity of the factory production control 0432-CPR-00130-01 (EN)

Version 02

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction products Regulation or CPR), this certificate applies to the construction product

flexible flue liners and rigid connecting flue pipes

made of stainless steel: 1.4404; 1.4571; 1.4539

“Holetherm NorFlex (NF)”

(for a detailed product description see annex 1 of this certificate)

placed on the market under the name or trade mark of

LEWO B.V.

Laagerfseweg 29
3931 PC Woudenberg / The Netherlands

and produced in the manufacturing plant(s)

LEWO B.V.

Laagerfseweg 29
3931 PC Woudenberg / The Netherlands

HW02

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

EN 1856-2:2009

under system 2+ are applied and that

the factory production control is assessed to be in conformity with the applicable requirements

This certificate was first issued on 09.08.2018 and will remain valid until 17.12.2024 as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

Dortmund, 18.12.2019

by order


Dipl.-Ing. Hönig
deputy Head of Certification Body (Dept. 21)



This Certificate consists of 1 page and 1 annex(es).

This Certificate replaces the Certificate no.

0432-CPR-00130-01 dated 09.08.2018, Version 01.

The original of this document was issued in German language.

In case of doubt only the German version is valid.



Materialprüfungsamt Nordrhein-Westfalen

Prüfen · Überwachen · Zertifizieren

Vom Hersteller erklärte Eigenschaften für / Declared conditions by the manufacturer for:

	Art der Abgasanlage / Leitung <i>type of chimney / flue pipe</i>	Harmonisierte Norm <i>standard</i>	Produktbeschreibung <i>Product description</i>
01	„Typ 01,02“ Flexible Innenrohre <i>Flexible flue liners</i> Rohr / pipe: 1.4404 / 1.4571, 1.4539 Wanddicke / wall thickness: ≥ 0,10 mm (-10 %)	EN 1856-2	T200 – P1 – W – V2 – L50010 – O T200 – P1 – W – V2 – L70010 – O DN50 – DN100
02	„Typ 03,04“ einwandige starre Verbindungsstücke <i>Single wall rigid connection flue pipes</i> Rohr / pipe 1.4404 / 1.4571, Wanddicke / wall thickness: 0,40 mm (-10 %)	EN 1856-2	T200 – P1 – W – V2 – L50010 – O(30)M T120 – P1 – W – V2 – L50010 – O(30)M DN50 – DN100 Abstand zu brennbaren Bauteilen: <i>Distance to combustibles:</i> Gemessen/ measured
03	„Typ 05, 06“ doppelwandige, flexible Innenrohre <i>Double wall flexible flue liners</i> Rohr / pipe: 1.4404 / 1.4571, 1.4539 Wanddicke / wall thickness: ≥ 2 x 0,10 mm (-10 %)	EN 1856-2	T200 – P1 – W – V2 – L50010 – O T120 – P1 – W – V2 – L70010 – O DN50 – DN100